

# พาเนลพีซีโครงอุตสาหกรรม

## Industrial Panel PC with Touch Screen

# UTC-W1572A

15.6 inch Industrial Panel P



### Features

- Aluminum die-casting chassis, fanless design
- Wireless Design
- 15.6 inch LED TFT LCD, capacitive touch
- Intel Celeron J6412 2.0~2.6G CPU
- 6\*COM, 2\*LAN, 6\*USB
- AT & ATX Model
- Front Panel IP65 Level



UTC-W1572A is an intelligent, fanless panel PC, 15.6" Panel PC equipped with an Intel® aytrail-D Celeron J6412 processor. Meeting the demands of harsh environments, in addition, the dual GbE LAN, 6 x serial ports, 6 x USB ports, make device connection and integration easy.


Processor	CPU	Intel Baytrail-D Celeron J6412, 2.0~2.6GHz, 4cores, 4threads, 2M cache, 22nm,TDP 10W	
	Cooling System	Fanless	
	Memory	Single Socket, 4GB-8GB DDR3L	
	Storage	mSATA SSD Full Size+SATS 2.5"SSD	
	I/O ports		4xUSB3.0+2xUSB2.0, Type-A COM: 6xRS232, DB9, 2*RS485/RS422 optional
			Dual Display: 1xHDMI (1920*1200 @30Hz) 1xVGA (1920*1200 @30Hz)
			1xAudio Expansion: MINI-PCIE
Network(LAN)	2x 10/100/1000Mbps Ethernet		
Input Voltage	Input Voltage	12V DC( 3 Pin Aviation Connector) , optional 9V-36V DC	
	Control SW/LED	Power Button, AT & ATX Model	
LCD Display	Display Type:	15.6 inch TFT LED Panel( LED Backlight)	
	Max. Resolution:	1920x1080/ 16:9	
	Luminance(cd/m <sup>2</sup> )	300nits	



# พาเนลพีซีอุตสาหกรรม

## Industrial Panel PC with Touch Screen

Touchscreen	Touch Type	Capacitive Touch
OS Support	OS Support	Microsoft Windows 7/ Windows 10/Windows 11/ Linux
Environment	Operating Temperature	0°C ~ 50°C(14~ 140 °F)(extend temperature optional)
	Storage Temperature	-10°C ~ 60°C(-4 ~ 158 °F)
	Front Panel Protection	IP65 compliant
Mechanical	Dimensions	(W*D*H): 396.5x246x72mm; Mounting Cut out (W*H): 379.5*229mm
	Weight	6 KG N.W.
	Color	Black
	Material	Aluminum
	Certification	CE / RoHS
Custom Service	Custom Service	Custom BIOS, System Encryption, Custom LOGO




# พาเนลพีซีอุตสาหกรรม

Industrial Panel PC with Touch Screen



# พาเนลพีซีอุตสาหกรรม

## Industrial Panel PC with Touch Screen



- Cable-less design and Board to Board design
- Highly compatible
- Modular design
- Easy operation: easy assembly and easy Maintenance
- Supports customization

Packing List	Ordering Information
1x UTC-W1572A	UTC-W1572A-J6412 CPU
1x Power Adapter	<b>Operating Systems</b>
<b>Optional accessories</b>	WIN7 32bit 64bit ENG/CN
VESA Bracket	WIN10 32bit 64bit ENG/CN
Power Cable 3-pin 200cm	WIN11 32bit 64bit ENG/CN
	Linux Ubuntu 12.04/16.04/18.04

